



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

1/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name ACCLAIM® EXTRA HERBICIDE

Product code (UVP) 05954002

SDS Number 102000005372

EPA Registration No. 432-950

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard : Category 1

Eye irritation : Category 2B



Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Causes eye irritation.

Precautionary statements

Wash face, hands and any exposed skin thoroughly after handling.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

2/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Do NOT induce vomiting.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Fenoxaprop-P-ethyl	71283-80-2	6.59
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	40.46
Isotridecanol, ethoxylated	9043-30-5	15.00
Naphthalene	91-20-3	5.66
Glycerine	56-81-5	6.00

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	Inhalation of high vapour concentrations can cause CNS-depression and narcosis. Symptoms of Overexposure, Headache, Loss of appetite, Nausea
-----------------	---



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

3/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Dry chemical, Carbon dioxide (CO ₂), Foam, Water spray
Unsuitable	None known.

Advice for firefighters

Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. In the event of fire and/or explosion do not breathe fumes.
---	--

Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

Flash point	100 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

Additional advice	Use personal protective equipment. Do not allow product to contact non-target plants. Do not allow to enter soil, waterways or waste water canal.
--------------------------	---

Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8.
------------------------------------	--



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

4/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fenoxaprop-P-ethyl	71283-80-2	2.6 mg/m3 (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	2560ug/m3 (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	460ppb (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	256ug/m3 (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	46ppb (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Naphthalene	91-20-3	15 ppm (STEL)	02 2012	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	02 2013	ACGIH NIC



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

5/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Naphthalene	91-20-3	50 mg/m ³ /10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	1989	OSHA Z1A
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	1989	OSHA Z1A
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	38ppb (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	50ug/m ³ (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	10ppb (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	200ug/m ³ (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	08 2010	US CA OEL
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA PEL)	08 2010	US CA OEL
Naphthalene	91-20-3	10 ppm (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m ³ (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m ³ (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m ³ (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m ³ (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m ³ (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m ³ (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50ug/m ³ (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	5ug/m ³ (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100ug/m ³ (AN ESL)	02 2013	TX ESL
Glycerine	56-81-5	1000ug/m ³	02 2013	TX ESL



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
10200005372

6/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

(Vapor.)		(ST ESL)		
----------	--	----------	--	--

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to beige
Physical State	liquid
Odor	characteristic
Odour Threshold	no data available
pH	7.5 - 8.1 at 10 %
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.03 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

7/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Partition coefficient: n-octanol/water	no data available
Viscosity	no data available
Flash point	100 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Inhalation, Skin contact

Immediate Effects

Eye Moderate eye irritation.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) > 10.7 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

LC50 (male/female combined rat) > 20 mg/l
Exposure time: 1 h



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

8/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Acute dermal toxicity LD50 (male/female combined rat) > 4,000 mg/kg
Skin irritation Slight irritation (rabbit)
Eye irritation Moderate eye irritation. (rabbit)
Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Fenoxaprop-P-ethyl did not cause specific target organ toxicity in rats. Fenoxaprop-P-ethyl caused specific target organ toxicity in experimental animal studies in mice in the following organ(s): kidneys.

Assessment Mutagenicity

Fenoxaprop-P-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Fenoxaprop-P-ethyl demonstrated no carcinogenic potential in a lifetime feeding study in rats. Fenoxaprop-P-ethyl caused an increased incidence of liver tumours in mice at high doses. Fenoxaprop-P-ethyl causes tumours through peroxisome proliferation. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

Naphthalene	91-20-3	Group A4
-------------	---------	----------

NTP

Naphthalene	91-20-3
-------------	---------

IARC

Naphthalene	91-20-3	Overall evaluation: 2B
-------------	---------	------------------------

OSHA

None.

Assessment toxicity to reproduction

Fenoxaprop-P-ethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fenoxaprop-P-ethyl did not cause developmental toxicity in rats and rabbits.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.39 mg/l



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

9/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

	Exposure time: 96 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 1.058 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl. No acute toxicity was observed at its limit of water solubility.
Toxicity to aquatic plants	EC50 (Pseudokirchneriella subcapitata) 0.54 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.
Biodegradability	Fenoxaprop-P-ethyl: ; not rapidly biodegradable
Koc	Fenoxaprop-P-ethyl: Koc: 11354
Bioaccumulation	Fenoxaprop-P-ethyl: Bioconcentration factor (BCF) 338; Does not bioaccumulate.
Mobility in soil	Fenoxaprop-P-ethyl: Immobile in soil
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.
Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.
If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Do not re-use empty containers.
Triple rinse containers.
Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning.
If burned, stay out of smoke.
Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

10/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3082
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL, NAPHTHALENE)
RQ	Reportable Quantity is reached with 1,666 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than poison; HAVING A DENSITY OF GREATER THAN 20 LBS. PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No.	432-950
US Federal Regulations	
TSCA list	
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Isotridecanol, ethoxylated	9043-30-5
Naphthalene	91-20-3
Glycerine	56-81-5



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

11/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Naphthalene 91-20-3 25,000lbs

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene 91-20-3

US State Right-To-Know Ingredients

Naphthalene 91-20-3 CA, CT, IL, MN, NJ, RI
Glycerine 56-81-5 MN

Canadian Regulations

Canadian Domestic Substance List

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

Glycerine 56-81-5

Environmental

CERCLA

Naphthalene 91-20-3 100 lbs

Clean Water Section 307 Priority Pollutants

Naphthalene 91-20-3

Safe Drinking Water Act Maximum Contaminant Levels

Naphthalene 91-20-3

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5

Glycerine 56-81-5

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Moderate eye irritation.
Harmful if swallowed.
Avoid contact with skin, eyes and clothing.

SECTION 16: OTHER INFORMATION



ACCLAIM® EXTRA HERBICIDE

Version 4.0 / USA
102000005372

12/12
Revision Date: 11/12/2014
Print Date: 06/22/2017

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 11/12/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.