



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

1/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product identifier**

**Trade name** BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

**SDS Number** 102000013850

**EPA Registration No.** 432-1445

**Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

**Restrictions on use** See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number**

**SDS Information or Request** [SDSINFO.BCS-NA@bayer.com](mailto:SDSINFO.BCS-NA@bayer.com)

**SECTION 2: HAZARDS IDENTIFICATION**

Acute toxicity (Oral, Inhalation): Category 4



**Signal word:** Warning

**Hazard statements**

Harmful if swallowed or if inhaled.

**Precautionary statements**

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing mist and spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

2/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor/physician if you feel unwell.  
Dispose of contents/container in accordance with local regulation.

**Other hazards**

No other hazards known.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Triadimefon	43121-43-3	43.00
Glycerine	56-81-5	10.70
Polyethylene-polypropylene copolymer	9003-11-6	1.80
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	1.70

---

**SECTION 4: FIRST AID MEASURES**

**Description of first aid measures**

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Hyperactivity followed by sedation

**Indication of any immediate medical attention and special treatment needed**

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

---



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

3/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

---

**SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media**

**Suitable** Water, Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**Advice for firefighters**

**Special protective equipment for fire-fighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point** > 100 °C  
No flash point - Determination conducted up to the boiling point.

**Autoignition temperature** no data available

**Lower explosion limit** no data available

**Upper explosion limit** no data available

**Explosivity** not applicable

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

**Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

4/11

Version 2.0 / USA  
102000013850

Revision Date: 09/17/2014  
Print Date: 04/21/2017

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Triadimefon	43121-43-3	0.7 mg/m3 (TWA)		OES BCS*
Triadimefon	43121-43-3	100ug/m3 (ST ESL)	07 2011	TX ESL
Triadimefon	43121-43-3	10ug/m3 (AN ESL)	07 2011	TX ESL
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine	56-81-5	5ug/m3	02 2013	TX ESL



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

5/11

Version 2.0 / USA  
102000013850

Revision Date: 09/17/2014  
Print Date: 04/21/2017

(Particulate.)		(AN ESL)		
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	100ug/m3 (AN ESL)	02 2013	TX ESL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Hand protection**

Chemical resistant nitrile rubber gloves

**Eye protection**

Safety glasses with side-shields

**Skin and body protection**

Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	brown
<b>Physical State</b>	liquid suspension opaque
<b>Odor</b>	characteristic
<b>Odour Threshold</b>	no data available
<b>pH</b>	ca. 6.7 at 10 % (20 °C) (CIPAC D water (342ppm))
<b>Vapor Pressure</b>	no data available
<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	ca. 1.16 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

6/11

Version 2.0 / USA  
102000013850

Revision Date: 09/17/2014  
Print Date: 04/21/2017

---

<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	no data available
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	not applicable
<b>Decomposition temperature</b>	not applicable
<b>Partition coefficient: n-octanol/water</b>	not applicable
<b>Viscosity</b>	600 - 1,500 cps
<b>Flash point</b>	> 100 °C No flash point - Determination conducted up to the boiling point.
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

<b>Thermal decomposition</b>	not applicable
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	no data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>Exposure routes</b>	Ingestion, Inhalation, Eye contact, Skin Absorption
<b>Immediate Effects</b>	
<b>Eye</b>	Mild eye irritation.
<b>Skin</b>	Harmful if absorbed through skin. Slight irritation
<b>Ingestion</b>	Harmful if swallowed.



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

7/11

Version 2.0 / USA  
102000013850

Revision Date: 09/17/2014  
Print Date: 04/21/2017

**Inhalation** Harmful if inhaled.

**Information on toxicological effects**

**Acute oral toxicity** LD50 (female rat) 1,750 mg/kg

**Acute inhalation toxicity** LC50 (male/female combined rat) > 2.1 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
highest concentration tested  
(actual)

LC50 (male/female combined rat) > 8.4 mg/l  
Exposure time: 1 h  
Determined in the form of liquid aerosol.  
Extrapolated from the 4 hr LC50.  
(actual)

**Acute dermal toxicity** LD50 (male/female combined rat) > 5,000 mg/kg

**Skin irritation** Slight irritation (rabbit)

**Eye irritation** Mild eye irritation. (rabbit)

**Sensitisation** Non-sensitizing. (guinea pig)

**Assessment repeated dose toxicity**

Triadimefon did not cause specific target organ toxicity in experimental animal studies.

**Assessment Mutagenicity**

Triadimefon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

Triadimefon was not carcinogenic in a lifetime feeding study in rats. Triadimefon caused an increased incidence of tumours in mice in the following organ(s): liver. The mechanism that triggers these tumours is not relevant to humans.

**ACGIH**

None.

**NTP**

None.

**IARC**

None.

**OSHA**

None.

**Assessment toxicity to reproduction**

Triadimefon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Triadimefon caused reduced fertility, a reduced pup survival.

**Assessment developmental toxicity**



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

8/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

Triadimefon caused developmental toxicity in only at dose levels toxic to the dams. Triadimefon caused an increased incidence of non-specific malformations.

**Further information**

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).

---

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (Rainbow trout)) 4.08 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient triadimefon.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Water flea (Daphnia magna)) 7.16 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient triadimefon.
<b>Toxicity to aquatic plants</b>	IC50 (Pseudokirchneriella subcapitata) 2.01 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient triadimefon.
<b>Biodegradability</b>	Triadimefon: ; not rapidly biodegradable
<b>Koc</b>	Triadimefon: Koc: 150 - 510
<b>Bioaccumulation</b>	Triadimefon: Bioconcentration factor (BCF) 31; Does not bioaccumulate.
<b>Mobility in soil</b>	Triadimefon: Moderately mobile in soils
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply when weather conditions favor runoff or drift. Apply this product as specified on the label.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

<b>Product</b>	Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
<b>Contaminated packaging</b>	Do not re-use empty containers. Triple rinse containers.





**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

9/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.  
If burned, stay out of smoke.  
Follow advice on product label and/or leaflet.

**RCRA Information**

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

**SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG**

UN number **3082**  
Class 9  
Packaging group III  
Marine pollutant YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIADIMEFON SOLUTION)

**IATA**

UN number **3082**  
Class 9  
Packaging group III  
Environm. Hazardous Mark YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIADIMEFON SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

---

**SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1445



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

10/11

Version 2.0 / USA  
102000013850

Revision Date: 09/17/2014  
Print Date: 04/21/2017

**US Federal Regulations**

**TSCA list**

Glycerine	56-81-5
Polyethylene-polypropylene copolymer	9003-11-6
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

Triadimefon	43121-43-3	25,000lbs
-------------	------------	-----------

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Triadimefon	43121-43-3	Developmental toxin.
Triadimefon	43121-43-3	Male reproductive toxin.
Triadimefon	43121-43-3	Female reproductive toxin.

**US State Right-To-Know Ingredients**

Triadimefon	43121-43-3	NJ
Glycerine	56-81-5	MN

**Canadian Regulations**

**Canadian Domestic Substance List**

Glycerine	56-81-5
Polyethylene-polypropylene copolymer	9003-11-6
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**International Regulations**

**European Inventory of Existing Commercial Substances (EINECS)**

Triadimefon	43121-43-3
Glycerine	56-81-5

**EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification



**BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE**

Version 2.0 / USA  
102000013850

11/11  
Revision Date: 09/17/2014  
Print Date: 04/21/2017

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed, inhaled or absorbed through the skin.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.  
Avoid breathing dust or spray mist.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly with soap and water after handling.  
Remove and wash contaminated clothing before re-use.

---

**SECTION 16: OTHER INFORMATION**

**NFPA 704 (National Fire Protection Association):**

Health - 2      Flammability - 1      Instability - 0      Others - none

**HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 09/17/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.